




**Steel Cladding,
Roofing & Trims**

Introduction



Choosing the perfect building envelope for your next project

CL 7040



Tradition 100



7/8" Corrugated



A steel cladding system adds style, beauty and character to your building's design, regardless of size or shape.

Just as each building design is different, so too should be your options for making your mark. Whether you are seeking to achieve a dramatic look or simply require an attractive, durable and affordable alternative for your new build or retrofit, our systems are designed to exceed your aesthetic and functional needs.

Choosing your roofing and cladding

At Vicwest, we offer a broad range of cladding options - from the clean lines of our AD300 profile to the curvability of our CL 725 profile, we can provide you with a solution that will give you that traditional, contemporary or avant-garde look for your next building project.

Flashings, trims & accessories

Available in a multitude of standard and custom colors and finishes, our steel cladding and roofing systems come complete with coordinating installation systems, extrusions, trims, components and accessories to give you a complete finished look.

Colors & Warranty

WeatherX® has quickly become one of the most popular and longest lasting paint systems in North America. Manufactured by Valspar, this superior Silicone Modified Polyester (SMP) paint system uses a proprietary resin to create a hard-wearing, no maintenance finish that exhibits remarkable color and gloss retention, superior chalk resistance and resistance to stains, abrasions and metal marking. It is available in a wide range of colors limited only by your imagination and supported by a 40 year limited warranty.

Wall Cladding Profiles

- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400

All flashings/trims are available 10'-0" long.

Custom flashings to specific requirements are available upon request.


Please consult your Vicwest representative.

▲ Exposed side pre-painted (Dim.) = mm

CHANNELWALL

Manufactured in Stratford, ON and Victoriaville, PQ


Channelwall is the reverse of CL 508



CL 508

Manufactured in Stratford, ON and Victoriaville, PQ

CL 508 is the reverse of Channelwall




CL 5022-SR

Manufactured in Victoriaville, PQ


Available with stiffener ribs CL 5022-R

CL 5022-SR is the reverse of CL 622-SR



DIAMOND RIB EAST


Manufactured in Stratford, ON



CL 7040


Manufactured in Oakville, ON and Victoriaville, PQ

CL 7040 is the reverse of CL 840



DIAMOND RIB WEST


Manufactured in Delta, BC



CL 7015

Manufactured in Victoriaville, PQ


CL 7015 is the reverse of CL 815



CL 815

Manufactured in Victoriaville, PQ

CL 815 is the reverse of CL 7015



Wall Cladding Profiles

- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400

All flashings/trims are available 10'-0" long.

Custom flashings to specific requirements are available upon request.

Please consult your Vicwest representative.

▲ Exposed side pre-painted (Dim.) = mm

AD 150 Manufactured in Oakville, ON

5 29/32" (150 mm) 5 29/32" (150 mm)

Painted Side

1 9/16" (40 mm)

AD 200-R Manufactured in Oakville, ON

7 7/8" (200 mm) 3 15/16" (100 mm)

Painted Side

1 9/16" (40 mm)

Also available in AD 200-SR (without rib)

AD 275-R Manufactured in Oakville, ON

10 13/16" (275 mm) 1" (25 mm)

Painted Side

1 9/16" (40 mm)

Also available in AD 275-SR (without rib)

AD 300-R Manufactured in Oakville, ON and Delta, B.C.

11 13/16" (300 mm)

Painted Side

1 9/16" (40 mm)

Also available in AD 300-SR (without rib)

CL 3035 Manufactured in Victoriaville, PQ

39 31/32" (1015 mm)

13 3/8" (338 mm)

Painted Side

1 3/8" (35 mm)

CL 3100 Manufactured in Victoriaville, PQ

CL 3100 is the reverse of CL 400

33 3/32" (840 mm)

Painted Side

3 15/16" (100 mm)

11 1/32" (280 mm)

CL 6025-SR Manufactured in Oakville, ON and Victoriaville, PQ

Available with stiffener ribs CL 6025-R

35 7/16" (900 mm)

5 7/8" (150 mm)

Painted Side

1 7/16" (36 mm)

CL 4012 Manufactured in Victoriaville, PQ

CL 4012 is the reverse of Grand Rib

30" (762 mm)

7 1/2" (190.5 mm)

Painted Side

3/4" (19 mm)

Profiles for Walls or Roofs

- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400

All flashings/trims are available 10'-0" long.


Custom flashings to specific requirements are available upon request.

Please consult your Vicwest representative.

▲ Exposed side pre-painted (Dim.) = mm


CL 400 Manufactured in Victoriaville, PQ

CL 400 is the reverse of CL 3100




CL 435 Manufactured in Victoriaville, PQ


CL 435 is the reverse of CL 3035




CL 439 Manufactured in Edmonton, AB



CL 725 Manufactured in Oakville, ON, and Victoriaville, PQ




1/2" CORRUGATED Manufactured in Delta, B.C.



7/8" CORRUGATED Manufactured in Delta, B.C. and Victoriaville, PQ


34" panel: Manufactured in Delta, BC
26" panel: Manufactured in Victoriaville, PQ



Roof: CL435



SUPERVIC Manufactured in Stratford, ON, Victoriaville, PQ and Kensington, PE



Profiles for Walls or Roofs

- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400

All flashings/trims are available 10'-0" long.
 Custom flashings to specific requirements are available upon request.
 Please consult your Vicwest representative.

▲ Exposed side preprinted (Dim.) = mm

CL 622-SR Manufactured in Victoriaville, PQ

CL 622-R is manufactured in Oakville, ON

CL 622-SR is the reverse of CL 5022-SR

37 3/8" (950 mm)

Painted Side

1 7/16" (36 mm)

7 1/2" (190 mm)

Available with stiffener ribs CL 622-R

CL 840 Manufactured in Oakville, ON and Victoriaville, PQ

CL 840 is the reverse of CL 7040

36 13/16" (935 mm)

5 1/4" (134 mm)

Painted Side

1 9/16" (40 mm)

GRAND RIB Manufactured in Victoriaville, PQ

Grand Rib is the reverse of CL 4012

30" (762 mm)

7 1/2" (190.5 mm)

Painted Side

3/4" (19 mm)



Curved Cladding or Roofing Profiles

Check with your Vicwest representative for curving material gauge and tool requirements.

- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400

All flashings/trims are available 10'-0" long.


Custom flashings to specific requirements are available upon request.

Please consult your Vicwest representative.

▲ Exposed side pre-painted (Dim.) = mm


7/8" CORRUGATED

Manufactured in Delta, B.C. and Victoriaville, PQ




CC 725

Manufactured in Victoriaville, PQ




SUPERVIC

Manufactured in Stratford, ON, Victoriaville, PQ and Kensington, PE



CC 840


Manufactured in Victoriaville, PQ



TRADITION 100-4


Manufactured in Oakville, ON

Curved profile available.





CC 6025

Manufactured in Victoriaville, PQ



CC 7040

Manufactured in Victoriaville, PQ



Perforated Cladding Profiles

Available Perforating Patterns

PROFILES


7/8" Corrugated under 30% freeair

CL7040 .051" using 1/8" X 3/16" Staggered - 40% open air

Hole Size & Spacing	% Open Air
1/16 x 3/32	40.3
.078 x 1/8	35.4
1/8 x 3/16	40.3
1/16 x 7/64	29.6
3/32 x 5/32	32.7
1/8 x 7/32	29.6
3/32 x 3/16	22.7
1/8 x 1/4	22.7
1/8 x 0.379	9.9
1/4 x 3/8	40.3

Hole Size & Spacing	% Open Air
1/16 x 0.1626	11.6
1/16 x 0.3788	2.1
1/16 x 0.1894	8.54
3/32 x 0.2706	9.4
1/8 x 0.325	11.6
1/16 x 0.3247	2.9
3/32 x 0.3247	6.5
1/4 x 0.650	11.6

Contact your local Vicwest Sales representative for minimum order quantities and potential set up fees. All perforated cladding profiles are custom orders. For further Perforating patterns, please contact your Vicwest representative.



For illustration purposes only. Actual product may not be exactly as shown.

Roof System Profiles

- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400


All flashings/trims are available 10'-0" long.

Custom flashings to specific requirements are available upon request.


Please consult your Vicwest representative.

▲ Exposed side pre-painted (Dim.) = mm


MARQUIS Manufactured in Oakville, ON





TSR Manufactured in Oakville, ON and Edmonton, AB



TRADITION 100-4 Manufactured in Oakville, ON




TRADITION 150-4 Manufactured in Oakville, ON




Roof & Wall:
Tradition 150

PRESTIGE Manufactured in Delta, BC and Victoriaville, PQ



VICELITE Manufactured in Stratford, ON



Roof and Floor Deck Profiles

RD - Roof Deck
 FD - Floor Deck
 HB - Hi-Bond® Floor Deck

- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
 CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400

All flashings/trims are available 10'-0" long.

Custom flashings to specific requirements are available upon request.

Please consult your Vicwest representative.

▲ Exposed side preprinted (Dim.) = mm

RD, FD, HB 938 Manufactured in Delta, B.C.,
Edmonton, AB and Oakville, ON

CL 938
(Wall Profile)

35 7/16" (900 mm)
 1 1/2" (38 mm)
 5 29/32" (150 mm)

FD, HB, CL 306 Manufactured in Oakville, ON

Also available in 18" coverage

24" (609 mm)
 3" (76 mm)
 6" (152 mm)

Deck lap shown

HB 30V Manufactured in Oakville, ON

Deck lap shown

32" (812 mm)
 3" (76 mm)
 16" (406 mm)

RD, FD, HB, CL 308 Manufactured in Oakville, ON & Delta, B.C.

Deck lap shown

24" (607 mm)
 3" (76 mm)
 8" (203 mm)

RD & HB 308 is produced in 24" and 32" Coverages in Oakville and 24" coverage in Delta. CL 308 is a 24" coverage in both locations.



Flashings & Trims

- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400

All flashings/trims are available 10'-0" long.

Custom flashings to specific requirements are available upon request.

Please consult your Vicwest representative.

▲ Exposed side preprinted (Dim.) = mm

Outside Corner	No.	Dimension		
		A	B	C
	204	5/8" (16)	3/4" (19)	2-3/4" (70)
	504	15/16" (24)	1" (25)	2-3/4" (70)
	1104	1-5/8" (41)	1" (25)	3-1/4" (83)
	1404	2-7/8" (73)	1" (25)	5" (127)
	1804	4-1/16" (103)	1-1/2" (38)	5" (127)

Outside Corner	No.	Dimension		
		A	B	C
	206	5/8" (16)	2-3/4" (70)	
	506	1" (25)	2-3/4" (70)	
	1106	1-3/4" (44)	3-1/4" (83)	
	1406	3" (76)	5" (127)	
	1806	4-3/16" (106)	5-1/2" (140)	

Outside Corner	No.	Dimension		
		A	B	C
	EX-1	2-1/2" (64)		
	EX-2	4" (102)		

Flashings & Trims



- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400



All flashings/trims are available 10'-0" long.


Custom flashings to specific requirements are available upon request.

Please consult your Vicwest representative.

▲ Exposed side preprinted (Dim.) = mm

Inside Corner	No.	Dimension		
		A	B	C
 	201	5/8" (16)	3/4" (19)	
	501	15/16" (24)	1" (25)	
	1101	1-5/8" (41)	1" (25)	
	1401	2-7/8" (73)	1-1/2" (38)	
	1801	4-1/16" (103)	1-1/2" (38)	

Inside Corner	No.	Dimension		
		A	B	C
 	208	5/8" (16)		
	508	1" (25)		
	1108	1-3/4" (44)		
	1408	3" (76)		
	1808	4-3/16" (106)		

Inside Corner	No.	Dimension		
		A	B	C
 	IN-1	2-1/2" (64)		
	IN-2	4" (102)		

Flashings & Trims


- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400


All flashings/trims are available 10'-0" long.


Custom flashings to specific requirements are available upon request.

Please consult your Vicwest representative.

▲ Exposed side preprinted (Dim.) = mm

"J" Trim	No.	Dimension		
		A	B	C
	210	5/8" (16)	5/8" (16)	
	510	15/16" (24)	1" (25)	
	1110	1-5/8" (41)	1" (25)	
	1410	2-7/8" (73)	1-1/2" (38)	
	1810	4-1/16" (103)	1-1/2" (38)	

Jamb	No.	Dimension		
		A	B	C
	213	5/8" (16)	5/8" (16)	
	513	15/16" (24)	1" (25)	
	1113	1-5/8" (41)	1" (25)	
	1413	2-7/8" (73)	1-1/2" (38)	
	1813	4-1/16" (103)	1-1/2" (38)	

Closure	No.	Dimension		
		A	B	C
	207	5/8" (16)		
	507	7/8" (22)		
	1107	1-1/2" (38)		
	1407	2-3/4" (70)		
	1807	4" (102)		

Flashings & Trims

- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400

All flashings/trims are available 10'-0" long.
 Custom flashings to specific requirements are available upon request.
 Please consult your Vicwest representative.

▲ Exposed side preprinted (Dim.) = mm

Conversion Moulding	No.	Dimension		
		A	B	C
	220	11/16" (17)	5/8" (16)	
	520	1" (25)	1" (25)	
	1120	2" (51)	1" (25)	
	1420	3-1/4" (83)	1-1/2" (38)	
	1820	4-7/16" (113)	1-1/2" (38)	

Conversion Moulding	No.	Dimension		
		A	B	C
	215	11/16" (17)	5/8" (16)	
	515	1" (25)	1" (25)	
	1115	2" (51)	1" (25)	
	1415	3-1/4" (83)	1-1/2" (38)	
	1815	4-7/16" (113)	1-1/2" (38)	

Partition Moulding	No.	Dimension		
		A	B	C
	221	5/8" (16)	2" (51)	3/4" (19)
	521	15/16" (24)	2-1/2" (64)	1" (25)
	1121	1-5/8" (41)	3-1/4" (83)	1" (25)

Flashings & Trims



- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400



All flashings/trims are available 10'-0" long.



Custom flashings to specific requirements are available upon request.

Please consult your Vicwest representative.

▲ Exposed side preprinted (Dim.) = mm

Drip	No.	Dimension		
		A	B	C
  <p>* to specify</p>	216	3/4" (19)		
	516	1-1/8" (29)		
	1116	2" (51)		
	1416	3-1/4" (83)		
	1816	4-7/16" (113)		
	016	*		

Drip	No.	Dimension		
		A	B	C
  <p>* to specify</p>	222	3/4" (19)		
	522	1-1/8" (29)		
	1122	2" (51)		
	1422	3-1/4" (83)		
	1822	4-7/16" (113)		
	022	*		

Drip	No.	Dimension		
		A	B	C
  <p>** to specify * 3/4" (19), 1" (25), 1-1/2" (38), 2" (51), 2-1/2" (64), 3" (76), 3-1/2" (89), 4" (102), 4-1/2" (114), 5" (127)</p>	217	3/4" (19)	*	
	517	1-1/8" (29)	*	
	1117	2" (51)	*	
	1417	3-1/4" (83)		
	1817	4-7/16" (113)		
	017	**	*	

Flashings & Trims



- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400



All flashings/trims are available 10'-0" long.


Custom flashings to specific requirements are available upon request.

Please consult your Vicwest representative.

▲ Exposed side preprinted (Dim.) = mm

Drip	No.	Dimension		
		A	B	C
  <p>** to specify * 3/4" (19), 1" (25), 1-1/2" (38), 2" (51), 3" (76), 4" (102), 5" (127), 6" (152), 9" (229)</p>	218	3/4" (19)	*	
	518	1-1/8" (29)	*	
	1118	2" (51)	*	
	1418	3-1/4" (83)	*	
	1818	4-7/16" (113)	*	
	018	**	*	

Drip	No.	Dimension		
		A	B	C
  <p>* to specify</p>	219	3/4" (19)		
	519	1-1/8" (29)		
	1119	2" (51)		
	1419	3-1/4" (83)		
	1819	4-7/16" (113)		
	019	*		

Starter Strip	No.	Dimension		
		A	B	C
 	223	3/4" (19)		
	523	1-1/8" (29)		
	1123	2" (51)		
	1423	3-1/4" (83)		
	1823	4-7/16" (113)		

Flashings & Trims



- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400



All flashings/trims are available 10'-0" long.



Custom flashings to specific requirements are available upon request.

Please consult your Vicwest representative.

▲ Exposed side pre-painted (Dim.) = mm

Ridge Cap	No.	Dimension		
		A	B	C
 	FA-6	5-1/2" (140)		
	FA-8	8" (203)		
	FA-12	11" (279)		

Roof Flashing	No.	Dimension		
		A	B	C
  <p>* 4-5/8" (117), 7-5/8" (194) 10-5/8" (270), 13-5/8" (346)</p>	3020	*		

Roof Flashing	No.	Dimension		
		A	B	C
  <p>* 5-1/2" (140), 8" (203)</p>	3021	*		


Flashings & Trims

- 200 Series - CL 508/Channelwall, CL 7015/815 and 1/2" Corrugated
- 500 Series - SuperVic, Diamond Rib
- 700 Series - VicElite, 7/8" Corrugated
- 1100 Series - CL 7040/840, CL 6025/725, CL 5022/622
CL 3035/435 and AD 150/200/275/300
- 1400 Series - CL 3070/470
- 1800 Series - CL 3100/400



All flashings/trims are available 10'-0" long.
 Custom flashings to specific requirements are available upon request.
 Please consult your Vicwest representative.


▲ Exposed side preprinted (Dim.) = mm

Vented Ridge (Model 1200)	Opening Capacities	
	Rows of Perforations	Total Opening Area per 10' 0" Section
	4	68.88 sq. ins.



Vicwest Vented Ridge allows damp warm air to circulate out of attics that would otherwise assist in the deterioration of insulation and roof structures.

Roof Flashing	No.	Dimension		
		A	B	C
	3022	*		
				
* 9" (229), 12" (305)				


Roof Flashing	No.	Dimension		
		A	B	C
	3023	*		
				
* 6" (152), 9" (229), 12" (305), 15" (381)				


Sub-Girts


*Notched sub-girts are also available.


Vicwest reserves the right to change dimensions, (except the "x" dimension), without notice.

For other lengths and/or dimensions, please consult Vicwest.

Standard in 10'-0" (3048 mm) Lengths		Notched for L800 Profile in 31" Lengths	
			
		Dimension	
No.	No.	X	Y
Z-75	—	3/4" (19 mm)	1-29/64" (37 mm)
Z-100	—	1" (25 mm)	1-33/64" (38 mm)
Z-150	ZE-150	1-1/2" (38 mm)	1-13/32" (36 mm)
Z-200	ZE-200	2" (51 mm)	1-13/32" (36 mm)
Z-250	ZE-250	2-1/2" (64 mm)	1-17/32" (39 mm)
Z-300	ZE-300	3" (76 mm)	1-7/8" (48 mm)
Z-350	ZE-350	3-1/2" (89 mm)	1-3/8" (35 mm)
Z-400	ZE-400	4" (102 mm)	2-3/64" (52 mm)
Z-450	ZE-450	4-1/2" (114 mm)	1-35/64" (39 mm)
Z-500	ZE-500	5" (127 mm)	1-1/2" (38 mm)
Z-550	ZE-550	5-1/2" (140 mm)	1-1/2" (38 mm)
Z-600	ZE-600	6" (152 mm)	1-13/16" (46 mm)

Standard in 10'-0" (3048 mm) Lengths			
			
		Dimension	
No.	X	Y	YY
U-75	3/4" (19 mm)	3-5/8" (92 mm)	1-1/2" (38 mm)
U-100	1" (25 mm)	3-3/8" (86 mm)	1-1/2" (38 mm)
U-150	1-1/2" (38 mm)	2-7/8" (73 mm)	1-1/2" (38 mm)
U-200	2" (51 mm)	2-5/8" (67 mm)	1-1/4" (32 mm)
U-250	2-1/2" (64 mm)	3-3/64" (77 mm)	1-1/2" (38 mm)
U-300	3" (76 mm)	2-35/64" (65 mm)	1-1/2" (38 mm)
U-350	3-1/2" (89 mm)	2-19/64" (58 mm)	1-1/4" (32 mm)
U-400	4" (102 mm)	3-5/16" (84 mm)	1-1/2" (38 mm)
U-450	4-1/2" (114 mm)	2-13/16" (71 mm)	1-1/2" (38 mm)
U-500	5" (127 mm)	2-9/16" (65 mm)	1-1/4" (32 mm)
U-550	5-1/2" (140 mm)	3" (76 mm)	1-1/2" (38 mm)
U-600	6" (152 mm)	2-3/4" (70 mm)	1-1/4" (32 mm)



			
		Dimension	
No.	X	Y	YY
H-62	5/8" (16 mm)	13/16" (21 mm)	1-1/2" (38 mm)
H-75	3/4" (19 mm)	1" (25 mm)	1-1/2" (38 mm)
H-100	1" (25 mm)	3/4" (19 mm)	1-1/2" (38 mm)
H-150	1-1/2" (38 mm)	1-1/16" (27 mm)	1-1/2" (38 mm)
H-200	2" (51 mm)	3/4" (19 mm)	2" (51 mm)
H-250	2-1/2" (64 mm)	21/32" (17 mm)	2-1/2" (64 mm)
H-300	3" (76 mm)	1-3/8" (35 mm)	3" (76 mm)

Project Gallery



Walls: 7/8" Corrugated
Roof: Tradition 100



Walls: CL 7040



Walls: AD 300 Vertical
and CL 308
and Tradition 100

Project Gallery

Walls: 7/8" Corrugated offset horizontally and vertically



Walls: CL 308




Walls: CL 7040



Walls: CL 435



Notes





In accordance with ongoing efforts to improve our products and their performance, Vicwest reserves the right to change without notice the specifications contained herein.

The contents herein are for general information and illustrative purposes only and are not intended to serve as any type of advice. Every effort is made to ensure the accuracy of the information included in this brochure and it is believed that the information contained herein is accurate and reliable as of the date of publication. Vicwest, however, does not warrant or represent the accuracy or reliability of any information included in this brochure. Any reliance on any information without consultation with Vicwest or a duly authorized representative shall be at the user's own risk.

©2010, Vicwest – All rights reserved

VW00149EN08/11

